


**ME by Starck Double washbasin, double furniture washbasin #**  
 233613..00 / 233613..00 / 233613..60 / 233613..60

|< 1300 mm >|



Double washbasin, double furniture washbasin	Dimension	Weight	Order number
with overflow, with tap platform, 1300 mm			
<b>Colors</b>			
00 White Alpin 32 White Satin Matt			
<b>Variant</b>			
●	1300 x 490 mm	37.500 kilogram	233613..00
●	1300 x 490 mm	37.500 kilogram	233613..00
⊗	1300 x 490 mm	37.500 kilogram	233613..60
⊗	1300 x 490 mm	37.500 kilogram	233613..60
<b>Infobox</b>			
When combined with pedestal or sipon cover, 2 of each are mandatory			
Sanitary ceramics with the special WonderGliss surface finish will remain clean and attractive-looking for a long time to come. When ordering WonderGliss please add a "1" as eleventh digit to the model number.			
<b>Accessory</b>			

**ME by Starck Double washbasin, double furniture washbasin #**  
**233613..00 / 233613..00 / 233613..60 / 233613..60**

|< 1300 mm >|

Space saving siphon	1 1/4" mm	0.400 kilogram	005076
<b>Suitable products</b>			
Pedestal for # 233565, 233560, 233555, 233613, 233612, 233610, 233683, 233663, 236112, 233653, 175 x 210 mm	175 x 210 mm		085839
Siphon cover for # 233565, 233560, 233555, 233613, 233612, 233610, 233683, 233663, 236112, 233653, 170 x 300 mm	170 x 300 mm		085840
Vanity unit wall-mounted 2 drawers, upper drawer including cut-out for siphon and siphon cover, for ME by Starck # 233613, 1290 x 481 mm	1290 x 481 mm		LC6258
Vanity unit wall-mounted 4 drawers, upper drawer including cut-out for siphon and siphon cover, for ME by Starck # 233613, 1290 x 481 mm	1290 x 481 mm		LC6259
Vanity unit wall-mounted 2 drawers, upper drawer including cut-out for siphon and siphon cover, for ME by Starck # 233613, 1270 x 475 mm	1270 x 475 mm		KT6432
Vanity unit wall-mounted 4 drawers, upper drawer including cut-out for siphon and siphon cover, for ME by Starck # 233613, 1270 x 475 mm	1270 x 475 mm		KT6433
Vanity unit wall-mounted 2 drawers, upper drawer including cut-out for siphon and siphon cover, for ME by Starck # 233613, 1290 x 479 mm	1290 x 479 mm		BR4105
Vanity unit wall-mounted 4 drawers, upper drawer including cut-out for siphon and siphon cover, for ME by Starck # 233613, 1290 x 479 mm	1290 x 479 mm		BR4106
Vanity unit wall-mounted 2 pull-out compartments, for ME by Starck # 233613, 1280 x 478 mm	1280 x 478 mm		XS4075
Vanity unit wall-mounted 4 drawers, upper drawer including cut-out for siphon and siphon cover, for ME by Starck # 233613, 1280 x 478 mm	1280 x 478 mm		XS4175
Vanity unit floor-standing 4 pull-out compartments, upper pull-out compartment including cut-out for siphon and siphon cover, integrated base frame legs with height adjustment, for ME by Starck # 233613, 1280 x 478 mm	1280 x 478 mm		XS4449
Vanity unit wall-mounted 2 pull-out compartments, for ME by Starck # 233613, 1280 x 480 mm	1280 x 480 mm		XV4029
Vanity unit wall-mounted 4 drawers, upper drawer including cut-out for siphon and siphon cover, for ME by Starck # 233613, 1280 x 480 mm	1280 x 480 mm		XV4129
Vanity unit floor-standing 4 pull-out compartments, upper pull-out compartment including cut-out for siphon and siphon cover, for ME by Starck # 233613, 1280 x 480 mm	1280 x 480 mm		XV4485
Vanity unit wall-mounted 1 pull-out compartment, for ME by Starck # 233613, 1275 x 475 mm	1275 x 475 mm		XB6034
Vanity unit wall-mounted 2 drawers, upper drawer including cut-out for siphon and siphon cover, for ME by Starck # 233613, 1275 x 475 mm	1275 x 475 mm		XB6130
Vanity unit wall-mounted 1 pull-out compartment, for ME by Starck # 233613, 1280 x 462 mm	1280 x 462 mm		DE4265

**ME by Starck Double washbasin, double furniture washbasin #**  
 233613..00 / 233613..00 / 233613..60 / 233613..60

|< 1300 mm >|

Vanity unit wall-mounted 1 drawer, 1 pull-out compartment, upper drawer including cut-out for siphon and siphon cover, for ME by Starck # 233613, 1280 x 462 mm	1280 x 462 mm	DE4365
Vanity unit wall-mounted 1 pull-out compartment, for ME by Starck # 233613, 1280 x 480 mm	1280 x 480 mm	K25066
Vanity unit wall-mounted 2 drawers, upper drawer including cut-out for siphon and siphon cover, for ME by Starck # 233613, 1280 x 480 mm	1280 x 480 mm	K25266
<b>Recommended faucets</b>		
Single lever basin mixer M ceramic cartridge, Projection 139 mm, flexible connection hoses 3/8", aerator adjustable, normal spray, chrome, maximum temperature can be adjusted on installation, recommended operating pressure 1 - 5 bar, with pop-up waste set,		B11020001
Single lever basin mixer M ceramic cartridge, Projection 139 mm, flexible connection hoses 3/8", aerator adjustable, normal spray, chrome, maximum temperature can be adjusted on installation, recommended operating pressure 1 - 5 bar, with pop-up waste set,		B21020001
Single lever basin mixer M ceramic cartridge, Projection 139 mm, flexible connection hoses 3/8", aerator adjustable, normal spray, chrome, maximum temperature can be adjusted on installation, recommended operating pressure 1 - 5 bar, without pop-up waste set,		B11020002
Single lever basin mixer M ceramic cartridge, Projection 139 mm, flexible connection hoses 3/8", aerator adjustable, normal spray, chrome, maximum temperature can be adjusted on installation, recommended operating pressure 1 - 5 bar, without pop-up waste set,		B21020002
Single lever basin mixer M ceramic cartridge, projection 106 mm, flexible connection hoses 3/8", normal spray, flow rate 5,0 l/min (3 bar), connection size DN15, chrome, recommended operating pressure 1 - 5 bar, with pop-up waste set,		N11020001
Single lever basin mixer M ceramic cartridge, projection 106 mm, flexible connection hoses 3/8", normal spray, flow rate 5,0 l/min (3 bar), connection size DN15, chrome, recommended operating pressure 1 - 5 bar, without pop-up waste set,		N11020002
Single lever basin mixer M FreshStart ceramic cartridge, in centre position cold water, projection 106 mm, flexible connection hoses 3/8", normal spray, flow rate 5,0 l/min (3 bar), connection size DN15, chrome, recommended operating pressure 1 - 5 bar, with pop-up waste set,		N11021001
Single lever basin mixer M FreshStart ceramic cartridge, in centre position cold water, projection 106 mm, flexible connection hoses 3/8", normal spray, flow rate 5,0 l/min (3 bar), connection size DN15, chrome, recommended operating pressure 1 - 5 bar, without pop-up waste set,		N11021002
Single lever basin mixer M MinusFlow ceramic cartridge, projection 106 mm, flexible connection hoses 3/8", normal spray, flow rate 3,5 l/min (3 bar), connection size DN15, chrome, recommended operating pressure 1 - 5 bar, with pop-up waste set,		N11022001

**ME by Starck Double washbasin, double furniture washbasin #**  
 233613..00 / 233613..00 / 233613..60 / 233613..60

|< 1300 mm >|

Single lever basin mixer M MinusFlow ceramic cartridge, projection 106 mm, flexible connection hoses 3/8", normal spray, flow rate 3,5 l/min (3 bar), connection size DN15, chrome, recommended operating pressure 1 - 5 bar, without pop-up waste set,	N11022002
Single lever basin mixer M FreshStart ceramic cartridge, in centre position cold water, projection 135 mm, flexible connection hoses 3/8", flow rate 5,0 l/min (3 bar), normal spray, connection size DN15, maximum temperature can be adjusted on installation, recommended operating pressure 1 - 5 bar, with pop-up waste set,	TU1021001
Single lever basin mixer M FreshStart ceramic cartridge, in centre position cold water, projection 135 mm, flexible connection hoses 3/8", flow rate 5,0 l/min (3 bar), normal spray, connection size DN15, maximum temperature can be adjusted on installation, recommended operating pressure 1 - 5 bar, without pop-up waste set,	TU1021002
Single lever basin mixer M ceramic cartridge, projection 135 mm, flexible connection hoses 3/8", flow rate 5,0 l/min (3 bar), normal spray, connection size DN15, maximum temperature can be adjusted on installation, recommended operating pressure 1 - 5 bar, without pop-up waste set,	TU1020002
Single lever basin mixer M ceramic cartridge, projection 135 mm, flexible connection hoses 3/8", flow rate 5,0 l/min (3 bar), normal spray, connection size DN15, maximum temperature can be adjusted on installation, recommended operating pressure 1 - 5 bar, with pop-up waste set,	TU1020001
Single lever basin mixer M ceramic cartridge, projection 122 mm, aerator with Easy-clean sprayplate, flow rate 5,0 l/min (3 bar), normal spray, connection size DN15, recommended operating pressure 1 - 5 bar, with pop-up waste set,	WA1020001
Single lever basin mixer M ceramic cartridge, projection 122 mm, aerator with Easy-clean sprayplate, flow rate 5,0 l/min (3 bar), normal spray, connection size DN15, recommended operating pressure 1 - 5 bar, without pop-up waste set,	WA1020002
Single lever basin mixer for concealed installation normal spray, ceramic cartridge, aerator with Easy-clean sprayplate, flow rate 5,0 l/min (3 bar), connection type: basic set for concealed installation, includes: visible parts, recommended operating pressure 1 - 5 bar, projection 202 mm,	WA1070004
Single lever basin mixer M ceramic cartridge, projection 129 mm, aerator with Easy-clean sprayplate, flow rate 5,0 l/min (3 bar), normal spray, recommended operating pressure 1 - 5 bar, with pop-up waste set,	MH1020001
Single lever basin mixer M ceramic cartridge, projection 129 mm, aerator with Easy-clean sprayplate, flow rate 5,0 l/min (3 bar), normal spray, recommended operating pressure 1 - 5 bar, without pop-up waste set,	MH1020002
Single lever basin mixer M FreshStart ,	MH1021001
Single lever basin mixer M FreshStart ,	MH1021002
Single lever basin mixer M MinusFlow ,	MH1022001
Single lever basin mixer M MinusFlow ,	MH1022002
Single lever basin mixer M FreshStart connection size DN15,	WA1021001

**ME by Starck Double washbasin, double furniture washbasin #**  
233613..00 / 233613..00 / 233613..60 / 233613..60

|< 1300 mm >|

Single lever basin mixer M FreshStart connection size DN15,	WA1021002
Single lever basin mixer M MinusFlow connection size DN15,	WA1022001
Single lever basin mixer M MinusFlow connection size DN15,	WA1022002

*All drawings contain the necessary measurements which are subject to standard tolerances. They are stated in mm and are non-binding. Exact measurements, in particular for customised installation scenarios, can only be taken from the finished piece.*